

Superstudio **Maxi**

Technical data sheet

SUPERSTUDIO MAXI

Main Hall

DIMENSIONS

Area: 6.800 sqm
Dimensions: 71 x 92 sqm
H max: 7.20 m underbeam

CAPACITY

Conference: 3.500 pax
Gala dinner: 2.000 pax
Standing: 3.500 pax

ELECTRIC POWER

600 kw

HANGING POINTS

600 kg per beam

EMERGENCY EXITS

23 emergency doors

EXTRA NOTES

The space reflects a strong commitment to sustainability, featuring 2,000 sqm of solar panels and a LEED Gold Certification. Inside, it offers black flooring accented by slim white metallic pillars and is equipped with quick-darkening skylights. The main entrance is defined by automatic glass doors framed by a marble portal, while additional access is available through secondary entrances on three sides. A dedicated area is reserved for catering services. The layout includes five restroom blocks for visitors, as well as changing rooms and toilets for staff.

ELECTRICITY

5 x 125 ampere
15 x 63 ampere
42 x 32 ampere
68 x 16 ampere

AIR/HEATING SYSTEM

HVAC 254.000 [mc/h]
Remote system regulation humidity, temperature and air recycling

LIGHTING

107 White led dimmable via DALI
205 W power per light
4.000 Kelvin

CONNECTIVITY

Free WI-FI 300 Mbps - limited 10 Mbps / client
Dedicated WI-FI for the event

TOILETS


44 + 3 toilets in the main room



Main Hall

TOP VIEW

Architectural drawing showing the top view of a building floor plan. The drawing includes dimensions and a red line indicating a path or boundary. Key dimensions include 6113, 1500, 1400, 914, 4196, 2176, 10673, 541, 268, and 890. A label 'Lounge Office' is present in one of the rooms.



SUPERSTUDIO 

SUPERSTUDIO MAXI

Vision Room

DIMENSIONS

Area: 150 sqm

Dimensions: 14.00 x 11.00 m

H max: 3,48 m

CAPACITY

Conference: 100 pax

Standing: 100 pax

ELECTRIC POWER

XX kw

UPS XX kw

Generating set 500 kw

EMERGENCY EXITS

2 emergency doors

ELECTRICITY

2 x 32 ampere

2 x 16 ampere

AIR/HEATING SISTEM

HVAC 5.500 [mc/h]

Remote system regulation humidity, temperature and air recycling

LIGHTING

20 White led dimmable via DALI

58 W power per light

4.000 Kelvin

CONNECTIVITY

Free WI-FI 300 Mbps - limited 10 Mbps / client

Dedicated WI-FI for the event



Vision Room

TOP VIEW

