




SUPERSTUDIO PIÙ

Technical Sheet

SUPERSTUDIO PIÙ Overview

Underground Floor
Super Club

Piazza dell'Arte

MOG Gallery


Atelier FLA

Dada Cafè

Piazza del Design

4Rooms

Piazza Eventi



SUPERSTUDIO PIÙ

Black Point

Dimensions

Total Area: 827 sqm / 8,901 sq ft
Width x Length: 35.13 m x 24.70 m / 115'3" x 81'0"
Height (Upper): 6.00 m / 19'8"
Underbeam: 5.55 m / 18'2"
Height (Lower): 4.85 m / 15'11"
Underbeam: 4.50 m / 14'9"

Capacities

Conference: up to 450 guests
Gala Dinner: up to 400 guests
Standing: up to 500 guests

Hanging Points and Loads

Max. Hanging Load: 700 kg / 1,543 lbs total on the beam system
Certified rigging required
Floor Load Capacity: 400 kg/m² / 82 lbs/sq ft
Additional info: [Hanging Points and Loads File](#)

Toilets

2 toilets in the main room
6 additional toilets available upon request

Emergency Exit

7 emergency exits

Electric Power

Total Power: 400 kW	2x 16 A - 230 V
1x 400 A - 400 V	4x 63 A - 400 V
1x 32 A - 400 V	6x 10 A - 230 V
1x 125 A - 400 V	11x 32 A - 230 V

Uninterruptible Power Supply (UPS): 600 kW
Backup Generator: 500 kW (venue-wide)

HVAC System

Heating, Ventilation and A/C system
HVAC 20,000 m³/h
Fully automated remote control for humidity, temperature and air circulation control

Lighting

72 individual dimmable white LED fixtures controlled via DALI
Power Consumption: 60 W per fixture
Color Temperature: 4,000 K

Connectivity

Free Wi-Fi
Dedicated network for event use


Additional Information

- Full-black space (walls and ceiling)
- Fully step-free access
- 15 perimeter steel columns
- Water supply available upon request
- Private entrance option from Via Tortona 27/bis
- Direct access to **Piazza dell'Arte** courtyard and **Central Point** space




SUPERSTUDIO PIÙ


Black Point



Section GG'



Ground Floor Plan



SUPERSTUDIO PIÙ

Central Point

Dimensions

Total Area: 2,520 sqm / 27,125 sq ft

Width x Length: 80.40 m x 32.25 m / 263'9" x 105'10"

Upper Part Height: 11.10 m / 36'5"

Underbeam: 9.75 m / 32'0"

Lower Part Height: 6.20 m / 20'4"

Underbeam: 5.85 m / 19'2"

Capacities

Conference: up to 1,600 guests

Gala Dinner: up to 900 guests

Standing: up to 1,600 guests

Hanging Points and Loads

Max. Hanging Load: 250 daN per eyebolt

Trusses: 200 daN per point / 1,000 daN total

Certified rigging required

Floor Load Capacity: 600 kg/m² / 123 lbs/sq ft

Additional info: [Hanging Points and Loads File](#)

Toilets

10 toilets in the main room including

2 accessible toilets

6 extra toilets integrable based on availability

Emergency Exit

11 emergency exits

Electric Power

Total Power: 220 kW

1x 400 A - 400 V *

2x 63 A - 400 V

2x 125 A - 400 V

4x 16 A - 230 V

*through Power Lock

4x 16 A - 400 V

5x 32 A - 230 V

9x 32 A - 400 V

15x 16 A - 230 V

Uninterruptible Power Supply (UPS): 600 kW

Backup Generator: 500 kW (venue-wide)

HVAC System

Heating, Ventilation and A/C system

HVAC 68,000 m³/h

Fully automated remote control for humidity, temperature, and air circulation control

Lighting

White LED lights

Power Consumption: 216 W per fixture

Color Temperature: 4,000 K


Connectivity

Free Wi-Fi

Dedicated network for event use


Additional Information

- Full white space (walls and ceiling)
- Fully step-free access
- Four circular columns located along the perimeter of the Upper Part
- Fixed truss structures included
- Equipped with water connections, including both supply and drainage systems
- Outdoor LED wall: Resolution 1664 x 256 px; Brightness 5000 Nits; Size 6.5 m x 1 m; Pixel Pitch 3,9 mm
- Two private entrances
- Direct access to **Gallery** and **Loft** space




SUPERSTUDIO PIÙ

Central Point



Section DD'



Ground Floor Plan



SUPERSTUDIO PIÙ

Daylight

Dimensions

Total Area: 802 sqm / 8,632 sq ft
Width x Length: 32.25 m x 24.95 m / 105'10" x 81'10"
Upper Part Height: 10.60 m / 34'9"
Underbeam: 7.42 m / 24'4"
Lower Part Height: 3.98 m / 13'1"
Underbeam: 3.31 m / 10'10"

Capacities

Conference: up to 400 guests
Gala Dinner: up to 350 guests
Standing: up to 550 guests

Hanging Points and Loads

Max. Hanging Load: 350 kg per point (Position A) / 150 kg per point (Position B)
Certified rigging required
Floor Load Capacity: 400 kg/m² / 82 lbs/sq ft
Additional info: [Hanging Points and Loads File](#)

Toilets

2 toilets in the main room including
1 accessible toilet
3 additional toilets integrable based on availability

Emergency Exit

4 emergency exits

Electric Power

Total Power: 400 kW
1x 32 A - 400 V 3x 16 A - 400 V
1x 125 A - 400 V 3x 16 A - 230 V
1x 400 A - 400 V 15x 10 A - 230 V
2x 63 A - 400 V
Uninterruptible Power Supply (UPS): 600 kW
Backup Generator: 500 kW (venue-wide)

HVAC System

Heating, Ventilation and A/C system
HVAC 23,000 m³/h
Fully automated remote control for humidity, temperature, and air circulation control

Lighting

White LED - switch on/off: line by line
Power Consumption: 216 W per fixture
Color Temperature: 4,000 K

Connectivity

Free Wi-Fi
Dedicated network for event use


Additional Information

- Full white space (walls and ceiling)
- Fully step-free access
- Three central columns
- Equipped with water supply, drainage, and load connections
- **Outdoor LED wall:** Resolution 2176 × 256 px; Brightness 5,000 Nits; Size 8.5 × 1 m; Pixel Pitch 3.9 mm
- Two private entrances
- Direct access to **Gallery** space
- Mezzanine level and lower room available



SUPERSTUDIO PIÙ


Daylight




Mezzanine plan



Section EE'



Ground Floor Plan



Section FF'



SUPERSTUDIO PIÙ Gallery

Dimensions

Total Area: 1,052 sqm / 11,324 sq ft

Width x Length: 64.80 m x 15.65 m / 212'7" x 51'4"

Upper Part Height: 5.85 m / 19'2"

Lower Part Height Underbeam: 5.12 m / 16'10"

Capacities

Gala Dinner: up to 450 guests

Standing: up to 800 guests

Hanging Points and Loads

Max. Hanging Load: 100 daN per sector max

At clamps only (Layout A center or C with bridle)

Certified rigging required

Floor Load Capacity: 600 kg/m² / 123 lbs/sq ft

Additional info: [Hanging Points and Loads File](#)

Toilets

5 toilets

Additional toilets integrable based on availability

Emergency Exit

6 emergency exits

Soundproof System

114 sound-absorbing panels

Electric Power

Total Power: 500 kW

1x 16 A - 400 V

1x 32 A - 230 V

1x 400 A - 400 V

2x 63 A - 400 V

2x 125 A - 400 V

4x 32 A - 400 V

6x 16 A - 230 V

Uninterruptible Power Supply (UPS): 600 kW

Backup Generator: 500 kW (venue-wide)

HVAC System

Heating, Ventilation and A/C system

HVAC 17,000 m³/h

Fully automated remote control for humidity, temperature, and air circulation control

Lighting

66 individual dimmable white LED fixtures controlled via DALI

Power Consumption: 56.6 W per fixture

Color Temperature: 4,000 K


Connectivity

Free Wi-Fi

Dedicated network for event use


Additional Information

- Full white space (walls and ceiling)
- Fully step-free access
- Seven centrally positioned concrete columns
- Equipped with water supply, load, and drainage connections
- Outdoor LED wall: Resolution 1024 × 256 pixels; Brightness 5,000 Nits; Size 4250 mm × 1000 mm; Pixel Pitch 3.9 mm
- Two private entrances
- Direct access to **Central Point** and **Daylight** spaces




SUPERSTUDIO PIÙ


Gallery



Ground Floor Plan



Basement Plan



Section CC'



SUPERSTUDIO PIÙ Lounge

Dimensions

Total Area: 371 sqm / 3,993 sq ft

Width x Length: 24.30 m x 15.40 m / 79'9" x 50'6"

Upper Part Height: 4.95 m / 16'3"

Lower Part Height: 4.45 m / 14'7" underbeam

Capacities

Conference: up to 300 guests

Gala Dinner: up to 200 guests

Standing: up to 300 guests

Hanging Points and Loads

Max. Hanging Load: 200 daN/sector (Trusses A);
80 daN/sector (Trusses B); 210 daN/sector (Beams)
Certified rigging required

Floor Load Capacity: 200 kg/m² / 41 lbs/sq ft

Additional info: [Hanging Points and Loads File](#)

Toilets

2 toilets

1 accessible toilet

Emergency Exit

3 emergency exits

Soundproof System

250 sound-absorbing panels and CELENIT
Natural Insulators

Electric Power

Total Power: 400 kW

1x 32 A - 230 V

2x 16 A - 230 V

1x 63 A - 400 V

4x 16 A - 400 V

1x 125 A - 400 V

5x 16 A - 230 V

1x 400 A - 400 V

6x 32 A - 400 V

Uninterruptible Power Supply (UPS): 600 kW

Backup Generator: 500 kW (venue-wide)

HVAC System

6 fan-coils to 1,300 m³/h each

VCM system for humidity and air circulation control

Lighting

25 individual dimmable white LED fixtures controlled
via DALI

Power Consumption: 56.6 W per fixture

Color Temperature: 4,000 K

Connectivity


Free Wi-Fi

Dedicated network for event use

Additional Information

- Fully step-free access
- Light parquet flooring
- Direct access to **Piazza del Design** and **Dada**
Restaurant






Ground Floor Plan



Section HH'



SUPERSTUDIO PIÙ Loft

Dimensions

Total Area: 362 sqm / 3,897 sq ft
Width x Length: 24.30 m x 15.60 m / 79'9" x 51'2"
Upper Part height: 5.85 m / 19'2"
Lower Part height: 5.15 m / 16'11" underbeam
Under Air Conditioning Pipes: 3.85 m / 12'8"

Capacities

Conference: up to 200 guests
Gala Dinner: up to 150 guests
Standing: up to 200 guests

Hanging Points and Loads

Max. Hanging Load: 100 daN per sector max
At clamps only
Certified rigging required
Floor Load Capacity: 600 kg/m² / 123 lbs/sq ft
Additional info: [Hanging Points and Loads File](#)

Toilets

2 toilets in the main room

Emergency Exit

1 emergency exit

Soundproof System

114 sound-absorbing panels

Electric Power

Total Power: 160 kW
1x 63 A - 400 V
1x 125 A - 400 V
2x 32 A - 400 V
4x 16 A - 230 V
Uninterruptible Power Supply (UPS): 600 kW
Backup Generator: 500 kW (venue-wide)

HVAC System

9 fan-coils to 1,300 m³/h each
Equipped with two ducted exhaust air extraction units

Lighting


23 individual dimmable white LED fixtures controlled via DALI
Power Consumption: 56.6 W per fixture
Color Temperature: 4,000 K


Connectivity

Free Wi-Fi
Dedicated network for event use


Additional Information

- Full white space (walls and ceiling)
- Fully step-free access
- Equipped with load and drainage connections
- Direct access to the Central Point and Gallery space







Section AA'



Ground Floor Plan



Section BB'



SUPERSTUDIO PIÙ Super Club

Dimensions

Total area: 430 sqm / 4,628 sq ft

Width x Length: 28.15 m x 15.50 m / 92'4" x 50'10"

Upper Part Height: 3.34 m / 10'11"

Lower Part Height: 2.7 m / 8'10" underbeam

Capacities

Standing: up to 225 guests

Toilets

4 toilets

1 accessible toilet

2 additional toilets available upon request

Emergency Exit

2 emergency exits

Electric Power

Total Power: 6kW

HVAC System

Heating, Ventilation and A/C system

HVAC 40,000 m³/h

Fully automated remote control for humidity, temperature, and air circulation control

Lighting

RGB full-color lighting system across ceiling, walls, and floor

Controlled via professional lighting desk and dedicated software


Connectivity

Free Wi-Fi


Dedicated network for event use

Additional Information


- Fully blacked-out space
- Soundproofed space
- Open-plan layout
- DJ console: 3 × 1 m / 9'10" × 3'3" (1 m / 3'3" high)
- FOH (Front of House) desk with integrated audio, video, and lighting control: 3 × 1 m / 9'10" × 3'3" (1 m / 3'3" high)
- Main bar with 5 bartender stations, including 2 beer taps
- Private bar with 1 bartender station
- 15 tables: 6 in the DJ / Privé area and 9 on the dance floor



Super Club



Basement Plan



SUPERSTUDIO PIÙ Rooftop

Dimensions

Total Area: 700 sqm / 7,535 sq ft

Width x Length: 35.00 m x 19.80 m / 114'10" x 65'0"

Capacities

Conference: up to 150 guests

Gala Dinner: up to 150 guests

Standing: up to 150 guests

Toilets

1 toilet

Electric Power

Total Power: 20 kW

2x 16 A - 230 V

1x 32 A - 400 V


Emergency Exit

1 emergency exit




SUPERSTUDIO PIÙ

Rooftop



Roof Plan



SUPERSTUDIO PIÙ Art Garden

Dimensions

Total Area: 1,120 sqm / 12,056 sq ft

Width x Length: 54.80 m x 20.60 m / 179'9" x 67'7"

Capacities

Standing: up to 850 guests

Gala Dinner: up to 400 guests

Toilets

2 toilets

Electric Power

1x 63 A - 400 V

Uninterruptible Power Supply (UPS): 600 kW

Backup Generator: 500 kW (venue-wide)

Connectivity


Free Wi-Fi

Dedicated network for event use



SUPERSTUDIO PIÙ

Art Garden



Ground Floor Plan



SUPERSTUDIO PIÙ

MOG Gallery

Dimensions

Total Area: 195 sqm / 2,099 sq ft

Mezzanine: 14 sqm / 151 sq ft

Terrance: 33 sqm / 355 sq ft

Ground floor dimensions: 11.50 x 6.50 m / 37'9" x 21'4"

H Max: 3.85 m / 12'8"

Foreground dimensions: 18.68 x 5.85 m / 61'3" x 19'2"

H Max: 2.94 m / 9'8"

Capacities

Conference: up to 70 guests

Gala Dinner: up to 60 guests

Standing: up to 150 guests

Toilets

1 toilet

1 accessible toilet in Accueil space

Emergency Exit

2 emergency exits

Electric Power

26x 10/16 A - 220 V

HVAC System

Heating, Ventilation and A/C system

Fully automated remote control for humidity, temperature, and air circulation control

Lighting

White led - switch on/off: line by line

Connectivity

Free Wi-Fi

Dedicated network for event use


Additional Information

- Full white space (walls and ceiling)
- Direct access to private terrace
- Private entrance option from Via Tortona 27/bis
- Possible integration with **Accueil** space




SUPERSTUDIO PIÙ


MOG Gallery



Ground Floor Plan



First Floor Plan



SUPERSTUDIO PIÙ

4Rooms

Dimensions

Total Area: 140 sqm / 1,507 sq ft

Ground Floor

Dimensions 1: 6.08 × 4.88 m / 19'11" × 16'0"

Dimensions 2: 4.60 × 5.55 m / 15'1" × 18'3"

H max: 2.65 m / 8'8"

H max underbeam: 2.09 m / 6'10"

First Floor

Dimension 3: 6.20 × 4.75 m / 20'4" × 15'7"

Dimension 4: 7.45 × 5.60 m / 24'5" × 18'4"

H Max: 2.65 m / 8'8"

H Max Underbeam: 2.09 m / 6'10"

Capacities

Office: up to 32 guests

Toilets

1 toilet in the main room

Emergency Exit

1 emergency exit

Electric Power

26x 10/16 A - 230 V

Uninterruptible Power Supply (UPS): 600 kW

Backup Generator: 500 kW (venue-wide)

HVAC System

4 fan-coils to 800 m³/h each

Lighting

White LED lights

Power Consumption: 120 W per fixture

Color Temperature: 3,600 K

Connectivity


Free Wi-Fi

Dedicated network for event use




SUPERSTUDIO PIÙ


4Rooms



Ground Floor Plan



First Floor Plan



SUPERSTUDIO PIÙ

Atelier FLA

Dimensions

Total Area: 285 sqm / 3,068 sq ft

Width x Length: 17.75 m x 16.00 m / 58'3" x 52'6"

Capacities

Standing: up to 130 guests

Toilets

2 toilets in the main room

HVAC System

Heating, Ventilation and A/C system

Fully automated remote control for humidity, temperature, and air circulation control

Connectivity

Free Wi-Fi

Dedicated network for event use


Emergency Exit

1 emergency exit



SUPERSTUDIO PIÙ

Atelier FLA



SUPERSTUDIO EVENTS

PLACES TO BE

WWW.SUPERSTUDIOEVENTS.COM